AUTHOR INDEX

ABE, T., *see* YOKOYAMA, H.
AHMAD, R., *see* MANNHALTER, J.W.
AIELLO, F.B., *see* MUSIANI, P.
AIELLO, F.B., MUSIANI, P., MAGGIANO, N., LAROCCA, L.M. & PIANTELLI, M. T3 expression by human thymocytes in culture, 433
ALCOVER, A., HERNANDEZ, C. & AVILA, J. Human vimentin autoantibodies preferentially interact with a peptide of 30 kD mol. wt, located close to the Amino-terminal of the molecule, 24
ALEXANDER G.J.M., *see* NOURI-ARIA, K.T.
ALEXANDER, J. & KAYE, P.M. Immunoregulatory pathways in murine lieshmaniasis: Different regulatory control during *Leishmania mexicana mexicana* and *Leishmania major* infections, 674
ALTER, H.J., *see* MACKAY, I.R.
AVILA, A., *see* ALCOVER, A.
AMOS, N., *see* WOO, P.
ANDERSSON, L.C., *see* PAAVONEN, T.
ARCHER, J.R., *see* HASKARD, D.O.
ARMSTRONG, S.S., *see* UDAGAWA, Y.
AVERY, J., *see* LEHNER, T.
AZIPURUA DE, H.J., UNGAR, B. & TOH, B.-H. Serum from patients with pernicious anaemia blocks gastrin stimulation of acid secretion by parietal cells, 315

BAKER, B.S., SWAIN, A.F., GRIFFITHS, C.E.M., LEONARD, J.N., FRY, L. & VALDIMARSSON, H. Epidermal T lymphocytes and dendritic cells in chronic plaque psoriasis: the effects of PUVA treatment, 526
BALLIEUX, R.E., *see* HART, 'T, L.A.
BAUGHMAN, R.P. & HURTUBISE, P.E. Systemic immune response of patient with active pulmonary sarcoidosis, 535
BELEEN, H.W.R.J.M., MIDDELDORP, J.M., SCHIRM, J., TEGEZEES, A.M. & THE, T.H. Maintenance of cytomegalovirus (CMV) latency and host immune response of long term renal allograft survivors. II. Secondary CMV infections associated with impaired *in vitro* proliferative responses to mitogens, allogeneic lymphocytes and CMV infected cells, 72
BELL, S.C., *see* UDAGAWA, Y.
BELLAMY, A.S., CALDER, V.L., FELDMANN, M. & DAVISON, A.N. The distribution of interleukin-2 receptor bearing lymphocytes in multiple sclerosis: evidence for a key role of activated lymphocytes, 248
BENVENISTE, P., ROW, V.V. & VOLP, R. Studies on the immunoregulation or thyroid autoantibody production *in vitro*, 274
BERKEL, A.I., *see* OZER, N.K.
BJORKHOLM, M., *see* JEZEWSKA, E.
BOTTAZZO, G.F., *see* TODD, I.
BOYD, A.W., *see* WERKMEISTER, J.A.
BRENER, Z., *see* MARTINS, M.S.
BRENNAN, F.M., *see* FIELD, M.
BRETT, S.J., *see* LOWE, C.
BROCK, J.H., *see* HUGHES, A.
BRYANT, A.E., *see* FARRANT, J.
BUDZ-TYMKEWYCZ, *see* LAU, C.
BURNS, G.F., *see* WERKMEISTER, J.A.
BURRAI, I., HENDERSON, B., KNIGHT, S.C. & STAINES, N.A: Suppression of collagen typ II-induced arthritis by transfer of lymphoid cells from rats immunized with collagen, 368

CALDER, V.L.., *see* BELLAMY, A.S.
CAMERON, J.S., *see* KOYAMA, A.
CANCADO, J.R., *see* MARTINS, M.S.
CHESHAM, J. & DAVIES, G.E. The role of metabolism in the immunogenicity of drugs: production of antibodies to a horseradish peroxidase generated conjugate paracetamol, 224
CIANCIOLO, G.J., *see* NELSON, M.
CILLIV, G., *see* OZER, N.K.
CITTERIO, F., *see* MUSIANI, P.
CLARK, D.D., *see* ALBALA, M.M.
COCKBURN, F., *see* ALBALA, M.M.
COCKBURN, F., *see* HUGHES, A.
COLE, P.J., *see* MUNRO, C.S.
COLLINGS, L.A., TIDMAN, N. & POULTER, L.W. Quantitation of HLA-DR expression by cells involved in the skin lesions of tuberculoid and lepromatous leprosy, 58
COOPER, C., *see* WOO, P.
CRAIG, J.C., HAWKINS, S.A., SWALLOW, M.W., LYTTLE, J.A., PATTERSON, V.H., MERRETT, J.D. & HAIRE, M. Subsets of T lymphocytes in relation to T lymphocyte function in multiple sclerosis, 548
CZERINSKY, C., *see* TARKOWSKI, A.

DANG, H., FISCHBACH, M., ERDOS, M. & TALAL, N. Monoclonal anti-poly (rA) hybridoma antibodies from an autoimmune MRL/MpJ-lpr/lpr mouse, 9
DAVIES, G.E., *see* CHESHAM, J.
DAVIES, M. Antigenic analysis of immune complexes formed in normal human pregnancy, 406
DAVIGNON, D., *see* ALBALA, M.M.
DAVISON, A.N., *see* BELLAMY, A.S.
DEINHARDT, F., *see* ZIEGLER-HEITBROCK, H.W.L.
DIEGUEZ, C., *see* HASSMAN, R.A.

EBERLE, J., *see* ZIEGLER-HEITBROCK, H.W.L.
EBERSOLE, J.L., *see* SMITH, D.J.
EDDLESTON, A.L.W.F., *see* SMITH, D.J.
EDDLESTON, A.L.W.F., *see* NOURI-ARIA, K.T.
EDWARDS, A.J., *see* SMITH, D.J.
EDDLESTON, A.L.W.F., *see* NOURI-ARIA, K.T.
EDWARDS, A.J., *see* FARRANT, J.
EFFROS, R.B., *see* MANNHALTER, J.W.
ELONEN, E., *see* KOSTIALA, A.A.I.
ERDOS, M., *see* JOHNSON, P.M.

FALKENHAUG, E.I., *see* HOLM, R.
FARRANT, J., BRYANT, A.E., LEVER, A.M., EDWARDS, A.J., KNIGHT, S.C. & WEBSTER, A.D.B. Defective low-density cells of dendritic morphology from the blood of patients with common variable hypogammaglobulinaemia low immunoglobulin production on stimulation of normal B cells, 189
FAST, D., *see* ALAVALA, M.M.

FEIERMAN, E., *see* ILFELD, D.
FELDMANN, M., *see* BELLAMY, A.S.
FELDMANN, M., *see* TODD, I.
FIELD, M., BRENNAN, F.M., NELSON, R.D., MCCARTHY, D., MUMFORD, P. & MAINI, R.N. MRL mice show an age-related impairment of IgG aggregate removal from the circulation, 195
FISCHBACH, M. & TALAL, N. Ability of isoprinosine to restore interleukin-2 production and T cell proliferation in autoimmune mice, 242
FISCHBACH, M., *see* DANG, H.
FORIS, G., *see* FULOP, T.
FORSUM, U., *see* LINDAHL, G.
FRAZER, I.H. ., *see* MACKAY, I.R.
FRIEDMANN, P.S., *see* MOSS, C.
FRY, L., *see* BAKER, B.S.
FUJIMOTO, J., *see* ISHII, Y.
FUJITA, F., *see* TAKAHASHI, N.
FULOP, T., FORIS, G., WORUM, I. & LEOVEY, A. Age-dependent alterations of Fcγ receptor-mediated effector functions of human polymorphonuclear leucocytes, 425

GAARDER, P.I., *see* HOLM, R.
GHERZ, R.C. & RUTZICK, S.R. Cytomegalovirus (CMV)-specific lysis of CMV-infected target cells can be mediated by both NK-like and virus-specific cytotoxic T lymphocytes, 80
GEOGHEGAN, W.D., *see* KAWANA, S.
GIBSON, P.R. & JEWELL, D.P. The nature of the natural killer (NK) cell of human intestinal mucosa and mesenteric lymph node, 160
GIRPENBERG, M., *see* KOSTIALA
GISCOMBE, R., *see* JEZEWSKA, E.
GORDON, A.C.H., *see* POZANANSNKY, M.C.
GORONZY, J., WEYLAND, C.M. & WAASE. T cell subpopulations in inflammatory bowel disease: evidence for a defective induction of $T8^+$ suppressor/cytotoxic T lymphocytes, 593
GOTOH, Y.-H., YAMAGUCHI, Y., MINEGISHI, M., KONNO, T. & TADA, K. Deficiency of NK activity $HNK\text{-}1^+$ of fetal thymus and liver of haploidentical soyabean agglutinin-treated marrow cells in two severe combined immunodeficiency patients, 608
GRANT, I.W., *see* POZNANSKY, N.
GRAY, D., *see* OLDFIELD, S.
GRIFFITHS, C.E.M., *see* BAKER, B.S.
GRIPENBERG, G., *see* KOSTIALA, A.A.I.
GRUNINGER, M., *see* RORDORF-ADAM, CH.
GUL, V., *see* HASKARD, D.O.

HAEGERT, D.G. Expression of T3 and T11 determinants on human peripheral lymphocytes as analysed by the indirect antiglobin rosetting reaction (IARR) and direct immunofluoresence, 657
HAIRE, M., *see* CRAIG, J.C.
HALL, R., *see* CRAIG, J.C.
HAMMOND, L.J., *see* TODD, I.
HARRISON, R.A., *see* WOO, P.
HART 'T, L.A., HEIJENEN, C.J., ZIJLSTRA, J. & BALLIEUX, R.E. Analysis of the antigen-induced *in vitro* differentiation of human peripheral blood B cells: Stimulation with ovalbumin induces the transition from the resting state into the excited state, 648
HASKARD, D.O., GUL, V., MORGAN, A., KATAAHA, P., STAINES, N.A. & ARCHER, J.R. Human monoclonal antibodies from patients with rheumatoid arthritis: cross reactions against cellular constituents, 496
HASLAM, P.L., *see* LAW, M.R.
see HUGHES, D.A.
HASSMAN, R.A., LAZARUS, J.H., DIEGUEZ, C., WEETMAN, A.P., HALL, R. & MCGREGOR, A.M. The influence of lithium chloride on experimental autoimmune thryoid disease, 49
HASUMURA, Y., *see* IZUMI, N.
HAWKINS, S.A., *see* CRAIG, J.C.
HAYASHI, S., *see* NAGAFUCHI, S.
HEDFORDS, E., *see* LINDAHL, G.
HEGARTY, J.E., *see* NOURI-ARIA, K.T.
HEIJENEN, C.J., *see* HART, 'T, L.A.
HEIGELAND, L., *see* HOLM, R.
VON DER HELM, K., *see* ZIEGLER-HEITBROCK, H.W.L.
HENDERSON, B., *see* BURRAI, I.
HERNANDEZ, C., *see* ALCOVER, A.
HODSON, M.E., *see* LAW, M.R.
HOLM, R., GAARDER, P.I., HELGELAND, L. & FAKENHAUG, E.I. A human autoantibody to peroxisomes, 305
HORNE, C.H.W., *see* UDAGAWA, Y.
HUDSON, L., *see* MARTINS, M.S.
HUGHES, A., BROCK, J.H., PARROTT, D.M.V. & COCKBURN, F. Effect of human colostrum and infant formula on the phagocytic activity of macrophages. I. Resident and stimulated mouse peritoneal macrophages, 169
HUGHES, D.A., HASLAM, P.L., TOWNSEND, P.J. & TURNER-WARWICK, M. Numerical and functional alterations in circulatory lymphocytes in cigarette smokers, 459
HUMMEL-TAPPEL, E., *see* LIMBURG, P.C.
HURTUBISE, P.E., *see* BAUGMAN, R.P.

IESATO, K., *see* MORI, Y.
ILFELD, F., KIVITY, S., FEIERMAN, E., TOPILSKY, M. & KUPPERMAN, O. Effect of in-vitro colchicine and oral theophylline on suppressor cell function of asthmatic patients, 360
IMAYAMA,S., *see* NAGAFUCHI, S.
INAGE, H., *see* KOYAMA, A.
INOUE, T., *see* NAGAFUCHI, S.
ISHII, Y., TAKAMI, T., KOKAI, Y., YUASA, H., FUJIMOTO, J., TAKEI, T. & KIKICHI, K. A novel human B-lymphocyte antigen shared with lymphoid dendritic cells: characterization by monoclonal antibody, 624
IZUMI, N., SATO, C., HASUMURA, Y. & TAKEUCHI, J. Serum antibodies against alcohol-treated rabbit hepatocytes in patients with alcoholic liver disease, 585

JENKINS, S., *see* OLDFIELD, S.
JENNING, P.A., *see* NELSON, M.
JEWELL, D.P., *see* GIBSON, P.R.
JEZEWSKA, E., BJORKHOLM, M., GISCOMBE, R., HOLM, G. & TULLGREN, O. Surface markers and cytotoxic activity of blood natural killer cells studied at the single cell level in Hodgkin's disease, 96

JOHNSEN, S.A., *see* PAPODOGIANNAKIS, N.
JOHNSON, P.M., PHUA, K.K. & EVANS, H.B. An indiotypic complementarity between rheumatoid factor and anti-peptidolgycan antibodies? 373
JONES, B.M. Neutralization of T-replacing factor by T8-positive lymphocytes: an important suppressor mechanism operating in the regulation of polyclonal B-cell activation, 642
JONES, T., *see* LEHNER T.
JORDAN, R.E., *see* KAWANA, S.

KASHIWAGI, S., *see* NAGAFUCHI, S.
KATAAHA, P., *see* HASKARD, D.O.
KAWANA, S., GEOGHEGAN, W.D. & JORDAN, R.E. Complement fixation by pemphigus antibody. II. Complement enhanced detachment of epidermal cells, 517.
KAYE, P.M., *see* ALEXANDER, P.M.
KENNEY, E.M., *see* VLADUTIU, A.O.
KEYSTONE, E.C., *see* LAU, C.
KIDA, H., *see* YOKOYAMA, H.
KIKUCHI, K., *see* ISHII, Y.
KIKUCHI, M., *see* NAGAFUCHI, S.
KIVITY, S., *see* ILFELD, D.
KLARESKOG, L., *see* LINDAHL, G.
KNIGHT, S.C., *see* FARRANT, J.
KOHNO, Y., NAKAJIMA, H. & TARUTANI, O. Interspecies cross-reactive determinants of thyroglobulin recognized by autoantibodies, 44
KOKAI, Y., *see* ISHII, Y.
KONNO, T., *see* GOTOH, Y.-H.
KONO, D.H., OGASAWARA, M., EFFROS, R.B., PARK, M.S., WALDORD, R.L. & YU, D.T.Y. Ye-1, amonoclonal antibody that cross-reacts with HLA-B27 lymphablastoid cell lines and an arthritis causing bacteria, 503
KOSHINO, Y., *see* YOKOYAMA, H.
KOSTIALA, A.A.I., GRIPENBERG, M., ELONEN, E. GRIPENBERG, G. & KOSTIAL, I. Follow-up of antibodies against single-stranded DNA in patients with haematological malignancies, 15
KOSTIALA, I., *see* KOSTIALA, A.A.I.
KOYAMA, A., INAGE, H., SANO, M., NARITA, M., TOJO, S., NEILD, G.H. & CAMERON, J.S. Platelet involvement in the nephritis of acute serum sickness in rabbits: protection by dipyridamole and FUT-175, 388
KRAFT, D., *see* ZIEGLER-HEITBROCK, H.W.L.
KRETTL, A.U., *see* MARTINS, M.S.
KUCHROO, V.K., *see* NELSON, M.
KUMAGAI, T., WONG, D.T., OGRA, P.O. Development of cell-mediated cytotoxic activity in the respiratory tract after experimental infection with respiratory syncytial virus, 351
KUPERMAN, O., *see* WOO, P.

LACHMANN, P.J.L., *see* WOO, P.
LAROCCA, L.M., *see* MUSIANI, P.
LAROCCA, L.M., *see* AIELLO, F.B.
LAU, C., BUDZ-TYMKEWYCZ, S., RAMSDEN, M., LEE, P., & MEYSTONE, E.C. Impaired release of a T-cell specific suppressor factor in rhematoid arthritis, 489
LAW, M.R., SMITH, M.J., MILLBAND, C., HASLAM, P.L. & HODSON, M.E. Immune function and survival in pleural mesothelioma, 214
LAZARUS, J.H., *see* HASSMAN, R.A.
LEE, P., *see* LAU, C.
LEHNER, T., AVERY, J. & JONES, T. The role of a human antigen specific $T8^+$ cell subset in antigen presentation, helper function and contrasuppression, 203
LEONARD, J.N., *see* BAKER, B.S.
LEOVEY, A., *see* FULOP, T.
LEVER, A.M., *see* FARRANT, J.
LIMBURG, P.C., HUMMEL-TAPPEL, E., OOSTERHUIS, H.J. & THE, T.H. *In vitro* T-cell dependent B-cell activity in myasthenia gravis, 31
LINDAHL, G., HEDFORS, E., KLARESKOG, L. & FORSUM, U. Epithelial HLA-DR expression and T lymphocyte subsets in salivary glands in Sjogren's syndrome, 475
LOBO-YEO, A., *see* NOURI-ARIA, K.T.
LOOAREESUWAN, S., *see* USAWATTANAKUL, W.
LOWE, C., BRETT, S.J. & REES, R.J.W. Adaptive cell transfer of resistance to *Mycobacterium leprae* infections in mice, 336
LYTTLE, J.A., *see* CRAIG, J.C.

MACKAY, I.R., FRAZER, I.H., TOH, B.-H., PEDERSEN, J.S. & ALTER, H.J. Absence of autoimmune serological reactions in chronic non A, non B, viral hepatitis, 39
MACLENNAN, I.C.M., *see* OLDFIELD, S.
MAGGIANO, N., *see* MUSIANI, P.
see AIELLO, F.B.
MAINI, R.N., *see* FIELD, M.
MANNHALTER, J.W., NEYCHEV, H.O., ZLABINGER, G.J., AHMAD, R. & EIBL, M.M. Modulation of the human immune response by the non-toxic and non-pyrogenic adjuvant aluminium, 143
MARTINO, DE, M., ELIZABETTA, R., MUCCIOLI, A.T., RESTI, M. & VERUCCI, A. Interference of hepatitis B surface antigen with natural killer virus, 90
MARTINS, M.S., HUDSON, L., KRETTLI, A.U., CANCADO, J.R. & BRENER, Z. Human mouse sera recognize the same polypeptide associated with immunological resistance to Trypanosoma cruzi infection, 343
MATOSSIAN-ROGERS, A. Association of the lymphoproliferative disease inducer gene Arp with autoimmunity and resistance to tumour growth, 614
MCCARTHY, D., *see* FIELD, M.
MCGREGOR, A.M., *see* HASSMAN, R.A.
MELIEF, C.J.M., *see* MIEDEMA, F.
MERRETT, J.D., *see* CRAIG, J.C.
MIDDELDORP, J.M., *see* BELEEN, H.W.R.J.
MIEDEMA, F., TERPSTRA, F.G., SMIT, J.W., VEEN, J.W.P. VAN DER & MELIEF, C.J.M. Tγ lymphocytosis is clinically non-progressive but immunologically heterogeneous, 440
MINEGISHI, M., *see* GOTOH, Y.-H.
MIELLI-VERGANI, G., *see* NOURI-ARIA, K.T.
MILLBAND, C., *see* LAW, M.R.
MILLER, K. Immunotoxicology, 219
MORGAN, A., *see* HASKARD, D.O.
MORI, T., *see* MORI, Y.
MORI, Y., MORI, S., UEDA, H., YOSHIDA, H., IESATO, K., WAKASHIN, Y., WAKASHIN, M. & OKUDA, K. Study of cellular immunity in experimental

MORI, Y. (*cont.*)
autoimmune hepatitis in mice: transfer of spleen cells sensitized with liver proteins, 577
MORRIS, J.A., *see* THORNS, C.J.
MOSS, C., FRIEDMANN, P.S., SHUSTER, S. & SIMPSON, J.M. Susceptiblity and amplification of sensitivity in contact dermatitis, 232
MOWAT, A.P., *see* NOURI-ARIA, K.T.
MUCCIOLI, A.T., *see* MARTINO DE, M.
MUMFORD, P., *see* FIELD, M.
MUNRO, C.S., STANLEY, P.J. & COLE, P.J. Assessment of biological activity of immunoglobulin preparations by using opsonized micro-organisms to stimulate neutrophil chemiluminescence, 183
MUSIANI, P., AIELLO, F.B., CITTERIO, F., MAGGIANO, N., LAROCCA, L.M. & PIANTELLI, M. Ultrastructural analysis of peripheral blood mononuclear cells in renal allograft recipients, 152
MUSIANI, P., *see* AIELLO, F.B.

NAGAFUCHI, S., KASHIWAGI, S., HAYASHI, S., INOUSE, T., IMAYAMA, S., TAKESHITA, M. & KIKUCHI, M. Delayed type hypersensitivity (DTH) skin reaction to hepatitis B surface antigen (HBsAg) in patients with type B acute and chronic hepatitis, 569
NAKAJIMA, H., *see* KOHNO, Y.
NARITA, M., *see* KOYAMA, A.
NEILD, G.H., *see* KOYAMA, A.
NELSON, M., NELSON, D.S., SPRADBROW, P.B., KUCHROO, V.K., JENNING, P.A., CIANCIOLO, G.J. & SNYDERMAN, R. Successful tumour immunotherapy. Possible role of antibodies to anti-inflammatory factors produced by neoplasms, 109
NELSON, D.S., *see* NELSON, M.
NELSOM, R.D., *see* FIELD, M.
NEUBERGER, J., *see* NOURI-ARIA, K.T.
NEYCHEV, H.O., *see* MANNHALTER, J.W.
NILLSON, L.A., *see* TARKOWSKI, A.
NOURI-ARIA, K.T., LOBO-YEO, A., VERGANI, D., MIELI-VERGANI, G., EDDLESTON, A.L.W.F. & MOWAT, A.P. T suppressor cell function and number of children with liver disease, 283
NOURI-ARIA, K.T., HEGARTY, J.E., ALEXANDER, G.J.M., EDDLESTON, A.L.W.F. & WILLIAMS, R. IgG production in 'autoimmune' chronic active hepatitis. Effect of prednisolone on T and B lymphocyte function, 290
NOURI-ARIA, K.T., HEGARTY, J.E., NEUBERGER, J., EDDLESTON, A.L.W.F. & WILLIAMS, R. *In vitro* studies on the mechanisms of increased serum IgM levels in primary billiary cirrhosis, 297

OGASAWARA, M., *see* KONO, D.H.
OGRA, P.L., *see* KUMAGI, T.
OKUDA, K., *see* MORI, Y.
OLDFIELD, S., JENKINS, S., YEOMAN, H., GRAY, D. & MACLENNAN, I.C.M. Class and subclass antipneumococcal antibody responses in splenectomized patients, 664
OLDING, L.B., *see* PAPODGIANNAKIS, N.
OOSTERHUIS, H.J., *see* LIMBURG, P.C.
ORIJH, A.U. Acute malaria prolongs susceptibility of mice to Plasmodium berghei sporozoite infection, 67
O'SULLIVAN, M.M., WALKER D.M. & WILLIAMS, B.D. Reticuloendothelial Fc receptor function in patients with Sjogren's syndrome, 483
OULTER, L.W., *see* COLLINGS L.A.
OZER, N.K., CILLIV, G., BERKEL, A.I., YEGIN, O.S.O. & ERSOY, F. Studies of lymphocyte cell surfaces in ataxia- telangiectasia, 118
ERSOY, F., *see* OZER, N.K.

PAAVONEN, T. & ANDERSSON, L.C. The oestrogen antagonists, tamoxifen and FC-1157a, display oestrogen like effects on human lymphocyte functions in vitro, 467
PAPADOGIANNAKIS, N., JOHNSON, S.A. & OLDING, L.B. Strong prostaglandin associated suppression of the proliferation of human maternal lymphocytes linked to T versus T cell interactions and differential PGE2 sensitivity, 125
PAPAKI, A. ., *see* RORDORF-ADAM, CH.
PARK, M.S., *see* KONO, D.H.
PARROTT, D.M.V., *see* HUGHES, A.
PATTERSON, V.H., *see* CRAIG, J.C.
PEDERSEN, J.S., *see* MACKAY, I.R.
PHUA, K.K., *see* JOHNSON, P.M.
PIANTELLI, M., *see* AIELLO, F.B.
see MUSIANI, P.
POZNANSKY, M.C., GORDON, A.C.H., GRANT, I.W.B., WYLLIE, A.H. A cellular abnormality in glucorticoid resistant asthma, 135
PUJOL-BORREL, R., *see* TODD, I.

RAJOGAPALAN, K., *see* THOMPSON, R.A.
RAMSDEN, M., *see* LAU, C.
REES, R.J.W., *see* LOWE, C.
RESTI, M., *see* MARTINO DE, M.
RIEBER, E.P., *see* ZIEGLER-HEITBROCK, H.W.L.
RIETHMULLER, G.R., *see* ZIEGLER-HEITBROCK, H.W.L.
RORDORF-ADAM, CH., SERBAN, D., PATAKI, A. & GRUNINGER, M. Serum amyloid P component and autoimmune parameters in the assessment of arthritis activity in MRL/lpr/lpr mice, 509
ROSEN, F.S., *see* WOO, P.
ROSSI, E.M., *see* MARTINO DE, M.
ROW, V.V., *see* BENVENISTE, P.
RUMFOLD, H., *see* ZIEGLER-HEITBROCK, H.W.L.
RUTZICK, R.., *see* GEHRZ, R.C.

SANO, M., *see* KOYAMA, A.
SATO, C., *see* IZUMI, N.
SAUBMAN, M.A., *see* SMITH, D.J.
SCHANDENE, L., *see* VERVLIET, G.
SCHIRM, J., *see* BELEEN, H.W.R.J.
SCHRAMM, W., *see* ZIEGLER-HEITBROCK, H.W.L.
SERBAN, D., *see* RORDORF-ADAM, CH.
SHUSTER, S., *see* MOSS, C.
SIMPSON, J.M., *see* MOSS, C.
SMIT, J.W., *see* MIEDEMA, F.
SMITH, M.J., *see* LAW, M.R.
SMITH, D.J., TAUBMAN, M.A. & EBERSOLE, J.L. Salivary IgA antibody to glucosyltransferase in man, 416
SNYDERMAN, R., *see* NELSON, M.
SOIKRATOKE, S., *see* USAWATTANAKUL, W.
SPEAR, G.T. & TEODORESCU, M. Specific cytotoxicity of human lymphocyte subpopulations defined by bacterial adherence, 450

SPRADBROW, P.B., *see* NELSON, M.
STACHEL, D., *see* ZIEGLER-HEITBROCK, H.W.L.
STAINES, N.A., *see* HASKARD, D.O.
STANLEY, P.J., *see* MUNRO, C.A.
SUKUMARAN, K.D., *see* THOMPSON, R.A.
SUPAVEJ, S., *see* USAWATTANAKUL, W.
SWAIN, A.F., *see* BAKER, B.S.
SWALLOW, M.W., *see* CRAIG, J.C.

TADA, K., *see* GOTOH, Y.-H.
TAKAHASHI, N., FUJITA, T., TAKSATA, Y. & TAMURA, N. Interaction of complement solubilized complexes with mouse peritoneal macrophages and their clearance and tissue uptake, 176
TAKAMAI, T., *see* ISHII, Y.
TAKATA, Y., *see* TAKAHASHI, N.
TAKEI, T., *see* ISHII, Y.
TAKESHITA, M., *see* NAGAFUCHI, S.
TAKEUCHI, J., *see* IZUMI, N.
TALAL, N., *see* DANG, H.
see FISCHBACH, M.
TAMURA, N., *see* TAKAHASHI, N.
TANI, Y., *see* YOKOYAMA, H.
TARKOWSKI, A., CZERINSKY, C. & NILLSON, L.A. Simultaneous induction of rheumatoid factor- and antigen-specific antibody-secreting cells during the secondary immune response in man, 379
TARUTANI, O., *see* KOHNO, Y.
TEGEZESS, A.M., *see* BELEEN, H.W.R.J.
TEODORESCU, M., *see* SPEAR, G.T.
TERPSTRA, F.G., *see* MIEDEMA, F.
THARAVANIJ, S., *see* LIMBURG, P.C.
see NELEEN, H.W.R.J.
THOMPSON, R.A., SUKUMARAN, K.D. & RAJAGOPALAN, K. Inappropriate responses to Mycobacterium leprae infection—reactive protein in man and serum amyloid P in mice, 329
THOMSON, A.W., *see* UDAGAWA, Y.
THORNS, C.J. & MORRIS, J.A. Common epiotopes between mycobacterial and certain host tissue antigens, 323
TIDMAN, N., *see* COLLINGS, L.A.
TODD, I., PUJOL-BORRELL, R., HAMMOND, L.J., BOTTAZZO, G.F. & FELDMANN, M. Interferon-γ induces H.A-DR expression by thyroid epithelium, 265
TOH, B.-H., *see* MACKAY, I.R.
see AZIPUROA DE, H.J.
TOJO, S., *see* KOYAMA, A.
TOMOSUGI, N., *see* YOKOYAMA, H.
TOPILSKY, M., *see* ILFELD, D.
TOWNSEND P.J., *see* HUGHES, D.A.
TRIGLIA, T., *see* WERKMEISTER, J.A.
TULLGREN, O., *see* JEZEWSKA, E.
TURNER-WARWICK, M., *see* HUGHES, D.A.

UDAGAWA, Y., ARMSTRONG, S.S., WAITES, G.T., BELL, S.C., HORNE, C.H.W. & THOMSON, A.W. Immunohistochemical localization of murine α-1-pregnancy-associated (1-PAP) in non-pregnant females: A comparitive study with human pregnancy-associated α 2-glycoprotein (α 2-PAG), 397
UEDA, S., *see* MORI, Y.
UNGAR, B., *see* AZIPURUA DE, H.J.
USAWATTANAKUL, W., THARANANIJ, S., WARRELL, D.A., LOOAREESUWAN, S., WHITE, N.J., SUPAVEJ, S. & SOIKRATOKE, S. Factors contributing to the development of cerebral malaria II. Endotoxin, 562

VALDIMARSSON, H., *see* BAKER, B.S.
VEEN, J.P.W. VAN DER, *see* MIEDEMA, F.
VERGANI, D., *see* NOURI-ARIA, K.T.
VERUCCI, A., *see* MARTINO, DE, M.
VERVLIET, G. & SCHANDENE, L. In vitro correction of the interleukin-2 and interferon-gamma defect in multiple sclerosis, 556
VLADUTIU, A.O. & KENNEY, E.M. Thryoid function in mice with experimental autoimmune thryoiditis, 257
VOLPE, R., *see* BENVENISTE, P.

WAASE, I., *see* GORONZY, J.
WAITES, G.T., *see* UDAGAWA, Y.
WAKASHIN, M., *see* MORI, Y.
WAKASHIN, Y., *see* MORI, Y.
WALDORD, R.L., *see* KONO, D.H.
WAKLKER, D.M., *see* O'SULLIVAN, M.M.
WARRELL, D.A., *see* USAWATTANAKUL, W.
WEBSTER, A.D.B., *see* FARRANT, J.
WEETMAN, A.P., *see* HASSMAN, R.A.
WERKMEISTER, J.A., BOYD, A.W., TRIGLIA, T. & BURNS, G.F. Lymphocytes from patients with hairy cell leukaemia enable the distinction of two separate subpopulations of activated lymphocyte killer cells generated in mixed lymphocyte culture, 103
WERNICKE, D., *see* ZIEGLER-HEITBROCK, H.W.L.
WEYLAND, C.M., *see* GORONZY, J.
WHITE, N.J., *see* USAWATTANAKUL, W.
WILLIAMS, B.D., *see* O'SULLIVAN, M.M.
WILLIAMS, R., *see* NOURI-ARIA, K.T.
WONG, D.T., *see* KUMAGAI, T.
WOO, P., LACHMANN, P.J.L., HARRISON, R.A., AMOS, N., COOPER, C. & ROSEN, F.S. Simultaneous turnover of normal and dysfunctional C1 inhibitor as a probe of in vivo activation of C1 and contact activatable proteases, 1
WORUM, I., *see* FULOP, T.
WYLLIE, A.H.., *see* POZNANSKY, M.C.

YAMAGUCHI, Y., *see* GOTOH, Y.-H.
YEGIN, O.S.O ., *see* OZER, N.K.
YEOMAN, H., *see* OLDFIELD, S.
YOKOYAMA, H., KIDA, H., TANI, Y., ABE, T., TOMOSUGI, N., KOSHINO, Y. & HATTORI, N. Immunodynamics of minimal change nephrotic syndrome in adults T and B lymphocyte subsets and serum immunoglobulin levels, 601.
YOSHIDA, H., *see* MORI, Y.
YUASA, H., *see* ISHII, Y.

ZIEGLER-HEITBROCK, H.W.L., SCHRAMM, W., STACHEL, D., RUMPOLD, H., KRAFT, D., WERNICKE, D., VON DER HELM, K., EBERLE, J., DEINHARDT, F., RIEBER, E.P. & RIETMULLER, G. Expansion of a minor subpopulation of peripheral blood lymphocytes (T8/Leu 7+) patients with haemophilia, 633
ZIJLSTRA, J., *see* HART, 'T, L.A.
ZLABINGER, G.J., *see* MANNHALTER, J.W.

SUBJECT INDEX

AIDS, 633
Activate lymphocyte killer cells, 103
Adoptive cell transfer, 336
Ageing, 425
Antibodies
  anti-DNA, 509
  anti-oestrogens, 467
  anti-peptidoglycan, 373
  liver membrane, 585
  monoclonal anti-poly (rA) hybridoma, 9
  salivary IgA, 416
  pemphigus, 517
Antigen
  surface, 90, 614
  uptake, 143
  presentation, 143, 203
  B-lymphocyte, 624
  hepatitis B surface, 569
  HLA-DR, 265, 475, 526
  intracellular, 496
  liver, 39
  protective, 343
  tissue, 323
Antigen specificity, 9
Antiglobulin rosetting, 657
Arp gene, 614
Arthritis, 368, 503, 509
Asthma (glucocorticoid resistant), 135
Asthmatic patients, 360
Ataxia-telangiectasia, 118
Autoantibodies, 15, 39, 305
  human vimentin, 24
  parietal cell blocking, 315
  thyroglobulin, 44
Autoimmune disease, 31, 49
  serological reactions (absence of), 39

B cells, 648
  markers, 657
  normal, 189
  polyclonal activation, 642
B lymphocyte function (effect of prednisolone), 290
Bacterial adherence, 450
Billiary cirrhosis, 297
Bovine ocular squamous carcinoma, 109
Bronchoalveolar lavage, 535

C-reactive protein, 329
C1 activation, 1
C1 inhibitor ($C\overline{1}$-INH), 1
Cell-mediated cytotoxicity, 351
Cellular immunity, 577
Chemiluminescence (neutrophil), 183
Children, 283
Cigarettes, 459
Colchicine, 360
Collagen type II, 368
Colostrum (human), 169
Complement
  fixation, 517
  receptors, 176
  solubilized complexes, 176
Concanavlin A induced suppression, 297
Contact sensitivity, 232
Corticosteroid, 601
Cytomegalovirus (CMV)
  host response, 80
  infection, 72
Cytotoxicity, 80, 577

DNA single stranded, 15
Delayed type hypersensitivity, 109, 336
Dendritic cells, 189, 526, 624
Dermatitis, 232
Dinitrochlorobenzene, 232

ELISA anti-ssDNA, 15
ELISPOT immunospot assay, 379
Endotoxin, 562
Epidermal cells, 517
Epithelium, 475
Epitopes
  common, 323
  thyroglobulin, 44

Fc receptor, 176, 483
Fcγ receptors, 425
Fetal thymus (transplantation), 608

Glucocorticoids, 135, 152
Glucosyltransferase, 416
Graves' disease, 44

HNK1$^+$ cells, 608
Haematological malignancies, 15
Haemophilus influenzae, 183
Haemophilia, 633
Hashimoto's thyroiditis, 274
Hepatitis, 577
  alcoholic, 585
  chronic, 569
  chronic active, 283
  chronic active 'autoimmune', 290
  non A & non B, 39
  post-transfusion, 39
  type B acute, 569
  type B viral, 569
Hodgkin's disease, 96
Horseradish peroxidase, 224
Human T8$^+$ cells, 203
Human pregnancy-associated alpha 2 glycoprotein, 397
Hypergammaglobulinaemia, 183, 189, 535

Idiotypic interaction, 373
IgA plasma cells, 397
IgG
  aggregate removal, 195
  production, 290
IgM, 297
Immune complexes, 406
  function, 214
  response (secondary) 379
Immuocompetence, 72

Immunoglobulin
  production, 189
  synthesis, 467
Immunohistochemical localization, 397
Immunological studies, 440
Immunoregulation, 274, 489
Immunoregulatory pathways, 674
Immunosuppressive therapy, 152
Immunosuppression, 368
Immunotoxicology, 219
Immunoprophylaxis, 343
Inflammatory bowel disease, 593
Interferon, 162
β-Interferon, 90
γ-Interferon, 265, 556
Interleukin-1, 61, 556
Interleukin-2, 160, 556
  production, 242
  receptor, 248
Irradiation, 674
Isoprinosine, 242

Kidney transplantation, 72

Leishmania mexicana mexicana infection, 674
Leishmania major infection, 674
Leprosy, 58
Leukaemia
  acute myeloid, 15
  acute lymphatic, 15
  hairy cell, 103
Lithium chloride, 49
Liver disease, 90, 283, 585
Lupus erythematotus, 24
Lymphoblastoid cell line HLA-B27, 503
Lymphocyte
  subpopulations, 96
  cell surface (study), 118
  human, 450
  maternal, 125
  neonatal, 125
  $T8^+/Leu7^+$, 633
Lymphophoresis, 542
Lymphoproliferative disease, 614

Macrophages, 169, 176
Malaria, 67, 562
Membrane bound enzymes, 118
Mice
  autoimmune, 242
  Mice BALB/c, 195, 674
  CBA/Ca, 674
  MRL, 195
  MRL/lpr/lpr, 509
  MRL/MpJ-lpr/lpr, 9
  peritoneal macrophages, 169, 176
  serum amyloid P, 329
  sporozoite infection, 67
Microbodies, 305
Mitogenesis, 433
Monoclonal autoantibodies, 496
Monoclonal antibody Ye-1, 503
Monoclonal antibody, 624
Multiple sclerosis, 248, 342, 348, 356
Murine alpha 1 pregnancy-associated protein, 397
Myasthenia gravis, 31

Mycobacteria, 323
Mycobacterium leprae infections, 329, 336

NK cells, 633
  activity, 608
  cytotoxic activity, 96
  function, 90
  human intestinal mucosa, 160
  mesenteric lymph node, 160
  surface markers, 96
Neoplasms, 109
Nephritis acute serum sickness, 388
Nephrotic syndrome, 601

Oestradiol, 467
Oestrogen antagonists, 467
Opsonization, 183
Ovalbumin, 648

PUVA treatment, 526
Paracetamol, 224
Pernicious anaemia, 315
Peroxisomes, 305
Physician immunologists, 216
Plasmodium berghei, 67
Platelets, 386
Pleural mesothelioma, 214
Pneumococci, 664
Pokeweed mitogen, 31
Polymorphonuclear leucocytes, 425
Pregnancy, 406
Probe (CT-INH), 1
Prostaglandin E_2, 125
Protein A, 585
Psoriasis, 526

Rats (collagen immunized), 368
Renal allograft, 152
Resistance, 67
Respiratory syncytial virus, 351
Reticuloendothelial system, 483
Rheumatic autoimmune disease, 24
Rheumatoid
  arthritis, 1, 489, 496
  factor, 373
  factor secreting cells, 379

Salivary glands, 475
Sarcoidosis, 535
Serum amyloid, P, 329, 509
Sjogren's syndrome, 475, 483
Smokers, 459
Soyabean agglutinin, 608
Spleen cells, 577
Splenectomy, 664
Streptococcus mutans, 416
Suppressor cell, 360
Suppression maternal lymphocyte proliferation, 125

T cells, 459
  blastogenesis, 49
  colonies, 135
  cytotoxic, 450
  dependent B cell activity, 31
  interactions, 125
  proliferation, 143, 242

reactivity to tetanus toxoid, 143
specific suppressor factor, 489
subsets, 542, 548, 593
T lymphocytes
activated, 248
cytotoxic virus-specific, 80
cytotoxic NK-like, 80
epidermal, 526
function (effect of prednisolone), 290
subsets, 475
$T8^+$, 593, 642
Tγ lymphocytosis, 440
T replacing factor, 642
T suppressor cells, 283
T cell interaction, 577
T11 expression, 657
T3 expression, 433, 657
$T8^+$ cell subset, 203
Tamoxifen, 467
Tetanus toxoid, 143
Theophylline, 360
Thymocyte mitogenesis, 433
Thyroid autoimmunity, 265
Thyroid antibodies, 274
Thyroiditis, 44, 49, 257, 274
Thyroxin, 257
Training guidelines, 216
Trypanosoma cruzi, 343
Tumour immunotherapy (successful), 109
Tumour immunity, 614

Viral latency, 72

Yersinia enterocolitica, 503